

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): Fabio GIANNETTI )  
 )  
 ) Group: Not yet assigned  
Serial No.: Not yet assigned )  
 ) Examiner: Not yet assigned  
Filed: Concurrently herewith )  
 ) Our Ref: B-5184 621133-2  
For: "METHOD AND SYSTEM FOR )  
AUTHORING CONTENT" ) Date: September 4, 2003

CLAIM TO PRIORITY UNDER 35 U.S.C. 119

MAIL STOP PATENT APPLICATION  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

[X] Applicants hereby make a right of priority claim under 35  
U.S.C. 119 for the benefit of the filing date(s) of the  
following corresponding foreign application(s):


<u>COUNTRY</u>	<u>FILING DATE</u>	<u>SERIAL NUMBER</u>
GREAT BRITAIN	5 September 2002	0220710.8

[ ] A certified copy of each of the above-noted patent  
applications was filed with the Parent Application  
No. \_\_\_\_\_.

[ ] To support applicant's claim, a certified copy of the above-  
identified foreign patent application is enclosed herewith.

[X] The priority document will be forwarded to the Patent Office  
when required or prior to issuance.

Respectfully submitted,



Richard P. Berg  
Attorney for Applicant  
Reg. No. 28,145

LADAS & PARRY  
5670 Wilshire Boulevard  
Suite 2100  
Los Angeles, CA 90036  
Telephone: (323) 934-2300  
Telefax: (323) 934-0202





EV 301 025 086 US



INVESTOR IN PEOPLE

The Patent Office  
Concept House  
Cardiff Road  
Newport  
South Wales  
NP10 8QQ

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

Dated 25 June 2003





1/77

06SEP02 E746301-1 D01463  
P01/7700 0.00-0220710.8

# Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

The Patent Office

Cardiff Road  
Newport  
South Wales  
NP10 8QQ

1. Your reference 300202694-1 GB

2. Patent application number  
(The Patent Office will fill in this part)

0220710.8

- 5 SEP 2002

3. Full name, address and postcode of the or of each applicant (underline all surnames)

Hewlett-Packard Company  
3000 Hanover Street  
Palo Alto  
CA 94304, USA

Patents ADP number (if you know it)

Delaware, USA

If the applicant is a corporate body, give the country/state of its incorporation

4965 88001

4. Title of the invention Method and System for Authoring Content

5. Name of your agent (if you have one)

Richard A. Lawrence  
Hewlett-Packard Ltd, IP Section  
Filton Road, Stoke Gifford  
Bristol BS34 8QZ

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

Patents ADP number (if you know it)

7448038001

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country

Priority application number  
(if you know it)

Date of filing  
(day / month / year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing  
(day / month / year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:

Yes

- a) any applicant named in part 3 is not an inventor, or
  - b) there is an inventor who is not named as an applicant, or
  - c) any named applicant is a corporate body.
- See note (d))

9. Enter the number of sheets for any of the following items you are filing with this form.  
Do not count copies of the same document

Continuation sheets of this form

Description	14
Claim(s)	4
Abstract	1
Drawing(s)	3 <sup>23</sup>

10. If you are also filing any of the following, state how many against each item.

Priority documents	-
Translations of priority documents	-
Statement of inventorship and right to grant of a patent (Patents Form 7/77)	1 ✓
Request for preliminary examination and search (Patents Form 9/77)	1 ✓
Request for substantive examination (Patents Form 10/77)	-
Any other documents (please specify)	Fee Sheet ✓

11. I/We request the grant of a patent on the basis of this application.

Signature	Date
Richard A. Lawrence	05/09/2002

12. Name and daytime telephone number of person to contact in the United Kingdom
- Meg Joyce Tel: 0117-312-9068

**Warning**

*After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.*

**Notes**

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 08459 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

## **METHOD AND SYSTEM FOR AUTHORIZING CONTENT**

This invention relates to a method of authoring content, especially content to be processed by a web server. It also relates to a system for authoring  
5 such content.

The delivery of information to computing devices remote from a server is well known and is becoming more prevalent with the increase in popularity of the internet and the world wide web. Presently, there is a growing trend  
10 to access data from a variety of different devices. For example WAP enabled telephones, web enabled television sets, computers such as PCs, PDAs and the like are all being used to access information across networks. It will be appreciated that such a diversity of devices with different capabilities for handling and displaying data presents interesting challenges  
15 for the author of documents that are to be processed by a web server or browser in order to tailor the document to each device. It is therefore becoming more important that the author is provided with the tools required to author web content in a flexible, and easily revised manner.

There is also a drive to simplify the authoring process in that there is a continuous need in many cases to revise the authored content to alter its appearance or actual content over time. For example, a colour scheme or layout for a corporate web site may need to be changed if the company has a change of branding. Alternatively, it may be desirable to make regular  
25 changes to reflect the changing nature of the content of the web pages. For example, a web page publishing details of the weather may require a daily update of its content. A web page that is out of date or contains obsolete information gives a poor impression to a client of the owner of the site.

At the time of writing, the standard tools for use by an author in generating, or "authoring" web content such as a document defining a web page,

provide the author with a way to create a layout document and place some content within the layout with some style applied to it. An example of a simple web page document 200 is shown in Figure 2 of the accompanying drawings. The layout document 200 defines four discrete areas of a web page 201, 202, 203 and 204. The content in each area is the logo 205 in area 5 201, the horizontal block of text 206 in area 202, the vertical column of text 207 in area 203 and both the horizontal block of text 208 and the table of cars/prices 209 in area 204.

10 The standard tools typically prompt the author to produce a document (such as the one shown in Figure 2) in which the content and the style are embedded in a single file defining the document. This makes it difficult to re-organise the layout without moving the content or change the content without reorganising the layout.

15

One development intended to simplify the process of authoring web content to be processed by a web server or web browser is to provide style sheets. A style sheet is a set of rules which can be applied to a document in order to control the style of presentation of the content of that document. They can 20 either apply a style to a whole document or perhaps to just a part of the document. As such, they allow the author to separate the style from the content. A similar approach occurs for directly referring to images and sometimes content. In each case, the finished web page when rendered will appear the same.

25

By following aspects of the present invention to provide a method and a system for authoring web content which may provide the author with more flexibility in subsequent adaptation of the authored web content.

30 According to a first aspect the invention provides a method of authoring content to be served comprising:



authoring a layout document which defines at least one area of a document which includes the content to be published;

authoring at least one binding element which defines the identity and location of at least portion of content and at least one style description

5 which defines a style to be applied to a selected portion of content;

in which the step of authoring the layout document includes allocating to the at least one defined area a director to at least one binding document of the or each binding element such that when processed the published document includes in the defined area the content as directed by the binding

10 element in the style as directed by the binding element.

The content to be served may be, for example, processed by a web server for serving to clients.

15 By providing a binding element the content and the style description are separated from the layout document and are only referred to by the layout document indirectly. This is different from the prior art in which content and/or style are embedded within, or directly referred to, in the layout document. This allows the author greater flexibility should they

20 subsequently wish to make changes to the layout, content and/or style.

The method may comprise at least one binding element which does not itself contain any style or content, only containing directors to style or content.

25

It will be readily understood that by "published document" we may mean a page of a web site or a part of a page or a collection of pages. The content may be suitable for rendering on one or more of a wide variety of devices such as PDAs, PCs, telephones etc. The content may comprise a web page,

30 and may have active content such as forms, buttons, links etc.

The method may comprise providing content in the form of an electronic file which may contain a portion of text, or an image, or perhaps a combination of text and image content. The file may comprise a portion of code written for example in a mark-up language such as XML, XSL-FO or  
5 CSS. This may, for example, be produced using a text editor.

The method may comprise providing at least one style description which also comprises an electronic file such as a portion of code written for example in a mark-up language such as XML. Again this may be simply  
10 produced using a text editor.

The method may comprise defining at least one director provided in the layout document which may comprise an attribute, and each binding element may comprise an entity which may be allocated a unique label  
15 referenced by the attribute.

The layout document may further be authored to include in the at least one area a label or attribute indicating the type of content that is to be provided, such as a label to indicate that the content for that area is a header or an  
20 image.

More than one style description may be provided, and these may be as separate electronic files or as sub-portions of a single file. Where they are sub-portions the start and end of each sub-portion may be indicated by  
25 delimiting tags.

A single binding element may define the identity and location of more than one style description where more than one style description is provided. Similarly, it may define the identity and location of more than one portion  
30 of content. For example, if an area of the layout is to contain two paragraphs of text, each different and in a different style, a director to a

single binding element indicating the identity and location of two portions of text (the two portions of content) and two style descriptions, may be provided.

- 5 Two or more binding elements may direct to a common portion of content or style description. Sharing content and/or style descriptions in this way further simplifies the task of the author and makes it simple to make wide ranging changes to the content and/or style without having to edit the binding elements or the layout document.

10

More than one binding element may be provided, and the layout document may include a director to each binding element or perhaps to a subset of the total number of binding elements. It is envisaged, for example, that a number of binding elements may be defined which can be used across a  
15 number of authored web content documents. They may not all be required for every one of the documents.

It will be appreciated that the first aspect of the invention allows an author to author a document in such a manner that it is relatively straightforward to  
20 adapt the content for use on a range of devices. For example, the layout can easily be changed without a need to change the area references to the content, or the content can be changed simply by editing a binding element. Also, since style description and content are separated a change to the content can be made without needing to redefine its style or vice versa.

25

According to a second, different, aspect the invention provides a system for authoring content to be processed by a server comprising:  
a layout document processor for producing a layout document which defines at least one area of a document which includes the content to be published;  
30 binding element authoring means for defining at least one binding element which defines the identity and location of at least portion of content and at

least one style description which defines a style to be applied to a selected portion of content, and in which the layout document processor is arranged to allocate to the at least one defined area a director to at least one binding document of the or each binding element such that when processed the published document includes in the defined area the content as directed by the binding element in the style as directed by the binding element.

According to a third aspect the invention provides a data structure that is suitable for processing by a server for rendering as a document, the data structure comprising:

a layout document which defines at least one area of a document which includes the content to be published;  
at least one binding element which defines the identity and location of at least portion of content and at least one style description which defines a style to be applied to a selected portion of content;  
in which the layout document includes at least one binding document of the or each binding element allocated to at least one of the areas such that when processed the published document includes in the defined area the content as directed by the binding element in the style as directed by the binding element.

The data structure may comprise one or more program files which each comprise a portion of code, which may be written in a mark-up language such as XML that can be processed by a web server. The files may be stored separately or may form a part of a single file.

The data structure may comprise one or more discrete sections of machine readable data, a first section defining the a layout document, a second section defining the at least one binding element and a third section defining content, and a fourth section defining at least one style description.

The discrete sections may form part of a single file of machine readable data or separate files of machine readable data.

Where the or each binding element comprises a separate file the or each  
5 director in the layout document may identify an associated binding element by its file name.

According to a fourth aspect, the invention provides a data structure that is  
suitable for programming a processor of a computing device to author a  
10 servable content, the programmed processor being adapted to: author a layout document which defines at least one area of a document which includes the content to be published; author at least one binding element which defines the identity and location of at least a portion of content and at  
15 least one style description which defines a style to be applied to a selected portion of content; in which authoring the layout document includes allocating to the at least one defined area a director to at least one binding document of the or each binding element such that when processed the published document includes in the defined area the content as directed by the binding element in the style as directed by the binding element.

20

There will now be described, by way of example only, one embodiment of the present invention with reference to the accompanying drawings of which:

25 **Figure 1** schematically shows the architecture of a computer capable of acting as a server for this invention;

**Figure 2** is an example of a simple web page after it has been processed by a web browser and rendered on a display;

30

**Figure 3** is a flow chart of the steps performed in one example of a method in accordance with a first aspect of the invention; and

**Figure 4** is an overall representation of the directional relationships between a layout document, two portions of content and two style descriptions which are defined by a program in accordance with the third aspect of the present invention which may be rendered by a web browser to provide the web page of Figure 2; and

10 This particular invention is applicable to distribute data electronically, and in particular web content via the World Wide Web, or in short the web. Such technology is well known. Generally the data to be distributed is held on a processing apparatus, or server 100, as shown in Figure 1, and can be requested by any number of devices that are capable of communicating with  
15 the server 100.

In this embodiment the processing apparatus, or server 100, comprises a display 104, processing circuitry 106, a keyboard 108, and mouse 110. The processing circuitry 106 further comprises a processing unit 112, a hard  
20 drive 114, a video driver 116, memory 118 (RAM and ROM) and an I/O subsystem 120 which all communicate with one another, as is known in the art, via a system bus 122. The processing unit 112 comprises an INTEL™ PENTIUM™ series processor, running at typically between 2GHz and 2.5GHz.

25

As is known in the art the ROM portion of the memory 118 contains the Basic Input Output System (BIOS) that controls basic hardware functionality. The RAM portion of memory 118 is a volatile memory used to hold instructions that are being executed, such as program code, etc. The  
30 hard drive 114 is used as mass storage for programs and other data.

Other devices such as CDROMS, DVD ROMS, network cards, etc. could be coupled to the system bus 122 and allow for storage of data, communication with other computers over a network, etc.

5 The server 100 could have the architecture known as a PC, originally based on the IBM<sup>TM</sup> specification, but could equally have other architectures. The server may be an APPLE<sup>TM</sup>, or may be a RISC system, and may run a variety of operating systems (perhaps HP-UX, LINUX, UNIX, MICROSOFT<sup>TM</sup> NT, AIX<sup>TM</sup>, or the like).

10

In this embodiment web content, in this case a web-site, is held on the server 100.

Figure 2 of the accompanying drawings shows a simple web page. The web  
15 page, when rendered, comprises four discrete areas of a web page 201, 202, 203 and 204. The content in each area is the logo 205 in area 201, the horizontal block of text 206 in area 202, the vertical column of text 207 in area 204 and both the horizontal block of text 208 and the table of cars/prices 209 in area 203.

20

The web page is therefore defined by some web content (the text, logo and table) produced by an author which is written in a language that can be read by a web browser or server. The web content is in essence a piece of machine readable data, or computer program, which defines structure data  
25 that can be processed by the browser. The browser has a set of rules which permit it to extract the data from the structure and determine both how the document is to appear and what it contains. Several languages have now been established for the writing of the structured data with the most popular being the Extensible Mark-up Language (XML) which forms the basis of  
30 the example described hereinafter.

In one embodiment of the present invention, an author performs several steps in order to produce a set of data structured according to a set of rules as a computer program which may be rendered to produce the document of Figure 2 of the accompanying drawings. In these steps the author produces  
5 the following sections of data structure:

- A layout document 401;
- At least one binding element 402,403
- At least one portion of content 404,405; and
- 10 A least one style description 406,407.

The authoring of each section may be performed in any order so that the author can provide the layout document 401 before the content 404,405 or vice versa. However, all the sections must be produced before they can be  
15 passed as a whole to a web server for processing. Figure 3 of the accompanying drawings is a flow chart setting out, by way of example only, a typical set of steps which are to be performed in accordance with one embodiment of the invention to produce the simple web page of Figure 2.

- 20 In a first step the author decides on the layout of the page whereafter a layout document 401 is produced 501 which formalises the chosen layout using rules defined by a language that can be understood by the browser.

The layout document 401 defines the overall layout of the web page. As  
25 shown in Figure 2 the web page can be considered to comprise four areas- labelled Area 1, Area 2, Area 3 and Area 4, referenced by numerals 201,202,203 and 204 respectively in Figures 2 and 3(a). This layout document of the example is a program file written in the XML programming language and is named "viewport.xml". Of course, other languages could be  
30 used.



In a next step 502, the author defines, for each area in the layout document, a director which directs a browser processing the XML portion to a binding element.

- 5 An example of a suitable layout document, written in XML for use in producing the web page of Figure 2 is:

### XML Layout Description

```

10 <viewport>
    <layout name="main-results">
        <grid rows="2" columns="2">
            <row name="header">
15         <cell ref="//areas/area[name='Area1']"/>
            <cell ref="//areas/area[name='Area2']"/>
            </row>
            <row name="content">
                <cell ref="//areas/area[name='Area3']"/>
20         <cell ref="//areas/area[name='Area4']"/>
            </row>
        </grid>
    </layout>
    <areas>
25     <area name="Area1" width="30%" height="30%">
        <image>
            <content
                ref="binding.xml#xpointer(//bindings/bind[@name='Bind1'])"/>
            </image>
30     </area>
        <area name="Area2" width="70%" height="30%">
            <menu>
                <menu-item>
                    <content
35                 ref="binding.xml#xpointer(//bindings/bind[@name='Bind2'])"/>
                    </menu-item>
                    . . .
                </menu>
            </area>
40     . . .
    </areas>
</viewport>

```

After defining a layout document 401, an author may in a next step 503 define all the binding elements 402,403 that are referred to by the directors in the layout document. As shown in Figure 4 a single XML file may be authored which contains a number of sections that each define a binding element. Each director references at least one of these sections, such as “bind1” for area 1, “bind 2” for area 2 and so on. The XML file defining the binding elements 402,403 is named “binding.XML” and so in this example embedded within each area 201,202,203,204 of the layout document is a director of the form “binding.xml, bind n” where n is the number of the appropriate sub portion of the file.

Also as shown in Figure 4, each section of the binding file, i.e. each binding element, is embedded with a director to a portion of content and a style description. Figure 4 only shows the content and style directors for Areas 1 and 2 for simplicity. The skilled man will readily understand from this what files would be needed to complete the remaining two areas of the rendered document.

A suitable file written in XML language for the bindings may be as follows:

```

<bind name="Bind2">
  <text ref= "Content.Xml#pointer(//text[@id='001'])"
    style="Style.xml#pointer(//Attributesets/AttributeSet[@name='Style2'])"/>
</bind>

<bind name="Bind1">
  <image ref= "logo.gif" style=" Style.xml#pointer
(//Attributesets/AttributeSet[@name='Style2'])"/>
</bind>

```

Having authored the layout description and the binding elements, the author next may author 505 the required content 405,406 followed in a final step 506 by authoring the required style descriptions.

In this example, the content for Area 1 is a logo image 404 authored as a .gif image file called "logo.gif". Binding 1 refers to the name of this file. Similarly, the content for Area 2 is a portion of text which is written into a short file in XML language called "content.xml". Binding 1 refers to the name of this file.

A file called "Style.xml" is also provided which contains two style descriptors 406,407 called "style 1" and "style 2". Style 1 is a portion of XML code which defines the style to be applied to the logo in area 1, whilst Style 2 defines the style to be applied to the text on Area 2. Each of the bindings includes the name of the style descriptor to be applied to the content.

The Style. xml file may in this example have the form:

```

15 <attributeSets>
    <AttributeSet name= "Style 2">
        <attribute name="font-family">Times</attribute>
        <attribute name="font-size">15pt</attribute>
20 </attributeSet>

    <AttributeSet name= "Style 1">
        <attribute name="border-colour">blue</attribute>
        <attribute name="border-size">medium</attribute>
25 </attributeSet>
    </attributeSets>

```

It will therefore be seen that the layout document 401 does not directly refer to any specific content or style to be applied to that content. Indeed the identity and location of both the content and the style is completely unknown to the layout document. It is the binding elements 402,403 that direct the browser or server to the required content and style. This arrangement provides for a flexible method of authoring web content which provides for great flexibility in subsequent alteration to the web content.

When a requesting device such as a web server or browser requests the document the layout document is sent to the browser. In the process of reading this file the browser is instructed to add the content and style  
5 indicated by the directors to the binding elements.

Many permutations of the method of the example may be made whilst remaining within the scope of the present invention. For example, the order in which the steps are performed can be varied. Layout documents, style  
10 descriptions, bindings and content may be authored *ab initio*, or pre-authored existing examples may be used where this is possible. For example, an existing portion of content such as a logo may be referenced by a newly authored binding element. Also, whilst the example given relates to a simple web page it will be appreciated that the method of the invention is  
15 applicable to a variety of types of document which may be hosted on a variety of types of device.

## CLAIMS

1. A method of authoring content to be served comprising:  
authoring a layout document which defines at least one area of a document  
5 which includes the content to be published;  
authoring at least one binding element which defines the identity and  
location of at least a portion of content and at least one style description  
which defines a style to be applied to a selected portion of content;  
in which the step of authoring the layout document includes allocating to  
10 the at least one defined area a director to at least one binding document of  
the or each binding element such that when processed the published  
document includes in the defined area the content as directed by the binding  
element in the style as directed by the binding element.
- 15 2. The method of claim 1 in which the binding element does not itself  
contain any style or content, only containing directors to style or content.
3. The method of claim 1 or claim 2 in which the content is provided as  
an electronic file which contains a portion of text, or an image, or a  
20 combination of text and image content.
4. The method of claim 3 in which the file comprises a section of data  
written for example in a mark-up language such as XML.
- 25 5. The method of any preceding claim in which the style description is  
provided in the form of an electronic file written for example in a mark-up  
language such as XML.
6. The method of any preceding claim in which the director to a binding  
30 element provided in the layout document is defined as an attribute within a  
section of machine readable data written in a mark-up language.

7. The method of any preceding claim in which more than one style description is provided,
- 5 8. The method of any preceding claim which comprises defining a binding element which defines the identity and location of more than one style description or the identity and location of more than one portion of content.
- 10 9. The method of any preceding claim comprising the step of defining two or more binding elements which direct to a common portion of content or style description.
10. The method of any preceding claim in which more than one binding element is provided, and the layout document includes a director to some or all of the total number of binding elements.
10. A system for authoring content to be served comprising:  
a layout document processor for producing a layout document which defines  
20 at least one area of a document which includes the content to be published;  
binding element authoring means for defining at least one binding element which defines the identity and location of at least portion of content and at least one style description which defines a style to be applied to a selected portion of content, and in which the layout document processor is arranged  
25 to allocate to the at least one defined area a director to at least one binding document of the or each binding element such that when processed the published document includes in the defined area the content as directed by the binding element in the style as directed by the binding element.
- 30 11. A data structure that is suitable for processing by a server for serving as a document, the data structure comprising:

a layout document which defines at least one area of a document which includes the content to be published;

at least one binding element which defines the identity and location of at least portion of content and at least one style description which defines a style to be applied to a selected portion of content;

in which the layout document includes at least one binding element of the or each binding element allocated to at least one of the areas such that when processed the published document includes in the defined area the content as directed by the binding element in the style as directed by the binding element.

12. The data structure of claim 11 which comprises one or more discrete sections of machine readable data, a first section defining the a layout document, a second section defining the at least one binding element and a third section defining content, and a fourth section defining at least one style description.

13. The data structure of claim 12 in which the discrete sections form part of a single file of machine readable data or separate files of machine readable data.

14. A data structure that is suitable for programming a processor of a computing device to author servable content, the programmed processor being adapted to:

author a layout document which defines at least one area of a document which includes the content to be published;

author at least one binding element which defines the identity and location of at least a portion of content and at least one style description which defines a style to be applied to a selected portion of content;

in which authoring the layout document includes allocating to the at least one defined area a director to at least one binding document of the or each

binding element such that when processed the published document includes in the defined area the content as directed by the binding element in the style as directed by the binding element.

- 5 15. A method of authoring content to be processed by a server substantially as described herein with reference to and as illustrated in the accompanying drawings.
- 10 16. A system for authoring content to be processed by a server substantially as described herein with reference to and as illustrated in the accompanying drawings.
- 15 17. A data structure that is suitable for processing by a server for rendering as a document substantially as described herein with reference to and as illustrated in the accompanying drawings.




## ABSTRACT


Method And System For Authoring Content

5 Content to be served is authored by authoring a layout document which defines at least one area of a document which includes the content to be published and authoring at least one binding element which defines the identity and location of at least a portion of content and at least one style description which defines a style to be applied to a selected portion of  
10 content. Authoring of the layout document includes allocating to the at least one defined area a director to at least one binding document of the or each binding element such that when processed the published document includes in the defined area the content as directed by the binding element in the style as directed by the binding element. An appropriately  
15 programmed computer can generate such servable content, which can be served by, for example, a web server.





**Fig. 1**



**Fig2**






Fig 3






Fig 4

